

# Sure Tamp Steam

29.8" x 25.0" x 12.4"  
(75.7cm x 63.5cm x 31.5cm)



- Two hoppers allow for your choice of fresh espresso beans
- Dispense spout accommodates cups up to 20oz
- Stylish design fits into any decor
- Ideal for the quick serve restaurant, full service restaurant, lodging/hospitality, college and university, amusement and leisure, office system, convenience store and specialty retail/bar environments
- Sure Tamp - maintains constant and consistent tamping pressure throughout the shot cycle
- Build-A-Drink™ menu with beautiful graphics guides the operator
- Picture Prompted Cleaning™ daily process with reminder and lockout
- Small footprint
- BUNNlink® - machine to machine monitoring system
- Intellisteam® wand automatically steams to proper milk temperature - no need to monitor with a thermometer
- Ability to steam .5L of milk in under one minute

Agency:



## Specifications

**Product #:** 43400.0036

**Steps:** 2 Steps

**Water Access:** Plumbed

## Additional Features

## Electrical & Capacity

| Volts | Amps | Watts | Cord Attached | Plug Type   | 8oz cups/hr<br>236ml cups/hr | Input H <sub>2</sub> O Temp. | Phase | # Wires plus Ground | Hertz |
|-------|------|-------|---------------|-------------|------------------------------|------------------------------|-------|---------------------|-------|
| 208   | 20.4 | 4300  | Yes           | NEMA L6-30P | -                            | 60°F (15.5°C)                | 1     | 2                   | 60    |

## Plumbing Requirements

| PSI   | kPa     | Fitting Supplied        | Water Flow Required (GPM) |
|-------|---------|-------------------------|---------------------------|
| 20-90 | 138-621 | 1/4" Male Flare Fitting | -                         |


## CAD Drawings

| 2D | Revit | KLC |
|----|-------|-----|
|    |       |     |



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Created on:  
05/11/2018



| Unit    |          |          |          | Shipping |        |       |             |        |
|---------|----------|----------|----------|----------|--------|-------|-------------|--------|
|         | Width    | Height   | Depth    | Width    | Height | Depth | Weight      | Volume |
| English | 12.4 in. | 29.8 in. | 25.0 in. | - in.    | - in.  | - in. | 127.000 lbs | -      |
| Metric  | 31.5 cm  | 75.7 cm  | 63.5 cm  | - cm     | - cm   | - cm  | 57.607 kgs  | -      |



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Created on:  
05/11/2018

Related Products & Accessories: Sure Tamp Steam(43400.0036)



CLEAN TABLETS,  
CAFIZA 12/CASE

Product #: 36000.1188



CLEANING TABLETS,  
CAFIZA 100T

Product #: 36000.1189



CLEANER,MILK RINZA 1  
LITER

Product #: 39265.0000




BOOSTER PUMP KIT  
W/.357 HOSES

Product #: 41815.1000



KIT, C300 WATER  
CONDITIONER ASSY

Product #: 45961.0000



KIT, WATER FILTER  
CARTRIDGE C300

Product #: 45961.1001



KIT, C500 ESPRESSO  
WATER COND ASSY

Product #: 47152.0000



KIT, WATER FILTER  
CARTRIDGE C500

Product #: 47159.0000



## Serving & Holding Options: Sure Tamp Steam(43400.0036)

\*Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.\*



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Created on:  
05/11/2018